
# rkskimmer INTERNAL SKIMMER



Shark SKIMMER 150 and Shark SKIMMER 300 are modern internal skimmers with a very compact and innovative Shark design for direct integration into marine biotopes. They come from the latest development and knowledge in the field of reefing and are designed for aquariums up to 150 and 300 liters, depending on the load and type of biotope. Their very low energy consumption makes them the most competitive skimmers on the market for this skimming capacity. They are extremely quiet, easy to use and easy to dismount.





Shark SKI	MMER	150			300		
Watt	w	4			5		
Max air capacity	l/h	150			180 - Ozone compatible		
	US gph	40			45 - Ozone compatible		
For aquarium	L	LOW BIOLOAD up to 150	MEDIUM BIOLOAD up to 100	HIGH BIOLOAD up to 50	LOW BIOLOAD up to 300	MEDIUM BIOLOAD up to 200	HIGH BIOLOAD up to 100
	US gal	LOW BIOLOAD up to 40	MEDIUM BIOLOAD up to 25	HIGH BIOLOAD up to 13	LOW BIOLOAD up to 80	MEDIUM BIOLOAD up to 50	HIGH BIOLOAD up to 25
Immersion depth		from 130 to max. 150 mm · from 5" to max. 6"					

2,2 m · 7.55 ft



NEW self-cleaning impeller specially optimized for very efficient skimming.



Extra slim design (only 66 mm / 2.6" large). Suitable for many aquariums sets in the market.



NEW self-cleaning impeller specially optimized for very efficient skimming.



Counter current skimming with adjustable water entrance.



148 x 128 x h 255.5 mm 5.8 x 5 x h 10"

### **APPLICATIONS**



Shark SKIMMER

150

66 mm

2.6'

**243 mm** 9.6"

120 mm


4.7'

**FRESH & MARINE** AQUARIUM



Special large bottom surface for protein diffusion, perfect for breeding tanks or for integration into internal filtrations.





3.3'



Cable length

## TK SKIMPER INTERNAL SKIMMER



Silencer


Lateral grid for protein inlet

#### 150 **INSTANT SKIMMING** Silencer with LOOK AT WITH DIFFUSION easy air regulation Cup cover with AIR 🕮 anti-drip function and hose holder Skimmate 170 ml skimmer cup Water + air Skimmer neck with vibration GLASS dampening O-ring Opaque body protects Bottom grid for internal parts from protein inlet light to prevent algae Large passive flow base grid, perfect for breeding tanks or for integration into

internal filtration


300

INSTANT SKIMMING WITH **COUNTER CURRENT** 



# Shark SKIMMER

#### **SPARE PARTS**



C

Start SKIMMER 150 Start SKIMMER 300 Start SKIMER 300 Sta